

SHORT COMMUNICATION

Flowering times of plants found in Oxley Park, Tamworth.

An addendum

Macrozamia

Following publication of my paper 'Flowering times of plants found in Oxley Park, Tamworth' (*Cunninghamia* 2(2): 197-216), Dr Lawrie Johnson (National Herbarium of NSW) informed me that the *Macrozamia* referred to in the table and the discussion was incorrectly identified. The species at Oxley Park is *Macrozamia stenomera* L. Johnson not *Macrozamia diplomera*. *M. stenomera* is listed by Briggs and Leigh (1988) as a rare species with a range of less than 100 km. It is conserved in Mount Kaputar National Park but no information is available on the adequacy of reservation. The species is recorded from as far north as Bingara and is now known from three collections from the Tamworth district (L. Johnson pers. comm.).

Aphanes

One other native species, *Aphanes australiana* (Rothm.) Rothm., a member of the family Rosaceae has been found in the Park since publication. This species flowers in September and October. Although first noted late in 1990, the plant is locally common and was probably overlooked in the past because of its small size.

Reference

- Briggs, J.D. & Leigh, J.H. (1988) *Rare or threatened Australian plants*, Special Publication No. 14 (Australian National Parks & Wildlife Service: Canberra).

Manuscript received 19 February 1991

Manuscript accepted 3 July 1991

J.R. Hosking
Agricultural Research Centre
RMB 944
Tamworth, Australia 2340